


## SHEET NOTES

1. REFER TO SHEET 00 FOR EROSION AND SEDIMENTATION CONTROL NOTES AND SEDIMENTATION CONTROL DETAILS.
2. NO FUEL OR HAZARDOUS MATERIAL STORAGE TO OCCUR ON SITE.
3. COVER EXPOSED SOIL AT TEMPORARY CONSTRUCTION SLOPES WITH PLASTIC SHEETING.
4. PROVIDE MAP OF HAUL ROUTES AND SCHEDULE OF IMPLEMENTATION FOR ESC MEASURES. SUBMIT TO INSPECTOR DURING PRE-CONSTRUCTION CONFERENCE.
5. UTILIZE EXISTING ADJACENT PAVED SURFACES FOR STABILIZED CONSTRUCTION ENTRANCE AND IMPLEMENT WHEEL WASHING OR A GRAVEL PAD TO PREVENT TRACKING OF SEDIMENT OFFSITE. MONITOR CONSTRUCTION ENTRANCE AND ADJUST, AS NEEDED, TO PREVENT TRACKING OF SEDIMENT OFFSITE.
6. INSTALL INLET PROTECTION PER CONSTRUCTION NOTE 1 AT ANY ADDITIONAL EXISTING INLET STRUCTURES LOCATED DOWNSTREAM OF DISTURBED AREAS THAT ARE NOT SHOWN ON THE CONSTRUCTION. INLET PROTECTION SHOWN IN PLAN IS A REPRESENTATIVE EXAMPLE, AND DOES NOT REPRESENT THE TOTAL QUANTITY REQUIRED FOR THIS PROJECT.
7. INSTALL PERIMETER CONTROLS ALONG EDGE OF LIMITS OF DISTURBANCE AT ALL LOCATIONS WHERE EXISTING GROUND SURFACE SLOPES DOWNHILL TO ADJACENT AREAS. PREVENT ERODED SEDIMENT FROM LEAVING THE AREA OF DISTURBANCE DURING RAINFALL EVENTS. PERIMETER CONTROL SHOWN IN PLAN AND SECTION IS A REPRESENTATIVE EXAMPLE, AND DOES NOT EXEMPLIFY THE TOTAL QUANTITY OF REQUIRED PERIMETER CONTROL FOR THIS PROJECT.

## CONSTRUCTION NOTES

1. **INLET PROTECTION:** INSTALL INLET PROTECTION PER DETAILS 1 AND 2 ON SHEET CL 00 FOR THE DURATION OF THE PROJECT.
2. **PERIMETER CONTROL:** CONSTRUCT PERIMETER CONTROL/SEDIMENT BARRIER. REFER TO DETAILS 1 AND 2 ON SHEET CL 00 FOR PERIMETER CONTROL, OPTIONS, AND DETAILS.
3. **STORAGE AND PORTA-POTTY AREA:** CONTRACTOR MATERIALS AND EQUIPMENT STAGING, STORAGE, AND PORTA-POTTY AREA.
4. **EXISTING OPEN DRAINAGE CHANNEL:** CONTRACTOR SHALL INSTALL BMPs NECESSARY TO PREVENT SEDIMENT FROM LEAVING THE LIMITS OF DISTURBANCE SHOWN IN PLAN.

### EROSION SEDIMENTATION CONTROL LEGEND



4/5/2022 3:58:48 PM  
C:\0-BRIC REVIT - LOCAL COPY\Salish ES Window Replacement Revit 2020-22-0405.rvt



## C1.01